# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 22-Aug-2017

**Revision Number 2** 

NGHS / English

\_\_\_\_\_



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name Nail Polish Remover Acetone

Other means of identification

Product Code(s) 1414242

Recommended use of the chemical and restrictions on use

Recommended Use Nail polish remover

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Ningbo Rejoice I/E Co., Ltd.

Address Rm402, Unit 4, North Bank Fortune Centre, Jiangbei, Ningbo, 315020, China

Ningbo Zhejiang 315020 CN

**Telephone** Phone:0086-574-87170403

Fax:0086-574-87170180

**E-mail** powerwell2000@hotmail.com

Emergency telephone number

**Company Emergency Phone** 

0086-13586668388

Number

# 2. HAZARDS IDENTIFICATION

## Classification

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2



#### **Appearance** Purple Physical state Liquid **Odor** Fragranced

## GHS Label elements, including precautionary statements

## **Danger**

#### **Hazard statements**

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor





## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

## Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

#### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information

**Unknown acute toxicity** 

56 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 56 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity



Page 2/11

56 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 56 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## **Substance**

Not applicable.

## **Mixture**

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Acetone	67-64-1	55	-	-
Glycerin	56-81-5	1	-	-

## 4. FIRST AID MEASURES

First aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.



Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat,

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In

case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national



regulations. Store in accordance with local regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical name		ACGIH TLV		OSHA PEL		NIOSH IDLH	
Acetone		STEL = 750 ppm		TWA: 1000 ppm		IDLH: 2500 ppm 10% LEL	
67-64-1		TWA: 500	ppm	TWA: 2400 mg/m <sup>3</sup>		TWA: 250 ppm	
				(vacated) TWA: 1800 mg/m <sup>3</sup>		TWA: 590 mg/m <sup>3</sup>	
				(vacated) TWA: 750 ppm			
				(vacated) STEL: 1000 ppm			
				(vacated) S	TEL: 2400 mg/m <sup>3</sup>		
Glycerin		TWA: 10 mg/r	m³ mist	TWA: 15 r	mg/m³ mist, total		
56-81-5				pa	articulate		
				TWA: 5 mg/m³ mist, respirable			
				fraction			
				(vacated) TWA: 10 mg/m³ mist,			
				total particulate			
				(vacated) TWA: 5 mg/m <sup>3</sup> mist,			
				respirable fraction			
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Acetone	T	WA: 500 ppm	TWA: 2	250 ppm TWA: 500 ppm		n	TWA: 500 ppm
67-64-1	TV	VA: 1200 mg/m <sup>3</sup>	/A: 1200 mg/m <sup>3</sup> STEL: 5		0 ppm STEL: 750 ppm		TWA: 1190 mg/m <sup>3</sup>
		STEL: 750 ppm				STEL: 1000 ppm	
	ST	EL: 1800 mg/m <sup>3</sup>					STEL: 2380 mg/m <sup>3</sup>
Glycerin	Т	WA: 10 mg/m <sup>3</sup>	TWA: 1	0 mg/m <sup>3</sup>			TWA: 10 mg/m <sup>3</sup>
56-81-5				3 mg/m <sup>3</sup>			· ·

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical state Liquid
Appearance Purple
Odor Fragranced

**Color** No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH 8

Melting / freezing point No data available None known

Boiling point / boiling range 90 °C / 194 °F Flash Point 90 °C / 72 F

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.92

Water Solubility Soluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNot applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

**Explosive properties** No information available No information available **Oxidizing properties Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available No information available **Liquid Density Bulk Density** No information available Particle Size No information available No information available **Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.



## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10,458.00 mg/kg ATEmix (inhalation-dust/mist) 182.20 mg/L

**Unknown acute toxicity** 56 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

56 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

56 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

56 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

	Chemical name Oral LD50		Dermal LD50	Inhalation LC50	
Acetone = 5800 mg/kg (Rat)		-	= 50100 mg/m <sup>3</sup> (Rat) 8 h		
	Glycerin = 12600 mg/kg (Rat)		> 10 g/kg ( Rabbit )	> 570 mg/m <sup>3</sup> ( Rat ) 1 h	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity**No information available.

**STOT - single exposure** May cause drowsiness or dizziness.



STOT - repeated exposure No information available.

Aspiration hazard No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Acetone	-	96h LC50: 4.74 - 6.33	EC50 = 14500 mg/L 15	48h EC50: 10294 -
		mL/L (Oncorhynchus	min	17704 mg/L 48h EC50:
		mykiss) 96h LC50: 6210		12600 - 12700 mg/L
		- 8120 mg/L (Pimephales		
		promelas) 96h LC50: =		
		8300 mg/L (Lepomis		
		macrochirus)		
Glycerin	-	96h LC50: 51 - 57 mL/L	-	24h EC50: > 500 mg/L
1		(Oncorhynchus mykiss)		_

Persistence and Degradability

No information available.

#### Bioaccumulation

Chemical name	Log Pow
Acetone	-0.24
Glycerin	-1.76

MobilityNo information available.Other adverse effectsNo information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging En

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number D001 U002

## California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste		
Acetone	Ignitable		
67-64-1			

# 14. TRANSPORT INFORMATION



\_\_\_\_\_

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

**Description** CONSUMER COMMODITY, ORM-D

Emergency Response Guide 128

Number

TDG

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group ||

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II

**MEX** 

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group ||

**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II

<u>ICAO</u>

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II

IATA

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group II
ERG Code 3H

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II

IMDG/IMO

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group ||

**EmS-No.** F-E, S-E

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II, (22°C C.C.)

RID

**UN-No.** UN1993

**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group 1
Classification code F1

**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, I

ADR/RID-Labels 3

<u>ADR</u>

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group



Classification code F1
Tunnel restriction code (D/E)

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, I, (D/E)

<u>ADN</u>

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group 1
Classification code F1
Special Provisions 274

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, I

Hazard Labels 3
Limited Quantity 0
Ventilation VE01

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

**International Inventories** 

TSCA

DSL/NDSL

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden release of pressure hazardNoReactive HazardNo



#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone 67-64-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Acetone	X	X	Х	X	
67-64-1					
Glycerin	Х	X	Х	Х	
56-81-5					

## **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical Properties HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal Protection X

Prepared By
Product Stewardship
23 British American Blvd.

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 22-Aug-2017

Revision Note No information available

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

