SAFETY DATA SHEET

Issuing Date 24-Sep-2015 Revision Date 24-Sep-2015 Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Shave Cream

Other means of identification

UN-No. UN1950

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Shaving cream

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Ningbo Rejoice I/E Co., Ltd.

Supplier Address Rm402, Unit 4, North Bank Fortune Centre, Jiangbei, Ningbo, 315020, China

Ningbo Zhejiang 315020 CN

Supplier Phone Number Phone:0086-574-87170403

Fax:0086-574-87170180

Supplier Email powerwell2000@hotmail.com

Emergency telephone number

Company Emergency Phone

Number

0086-13586668388

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Serious eye damage/eye irritation | Category 2A |
|-----------------------------------|----------------|
| Gases under pressure | Compressed gas |



GHS Label elements, including precautionary statements

Emergency Overview

Signal word Warning

Hazard Statements

Causes serious eye irritation

Contains gas under pressure; may explode if heated



Appearance White

Physical state Liquid spray Aerosol

Odor Fresh

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Wear eye/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation Harmful to aquatic life with long lasting effects Toxic to aquatic life

Interactions with Other Chemicals

No information available.



3. COMPOSITION/INFORMATION ON INGREDIENTS

•

| Chemical Name | CAS No | Weight-% | Trade Secret |
|----------------------------------|------------|----------|--------------|
| Stearic acid | 57-11-4 | 5 - 10 | * |
| Triethanolamine | 102-71-6 | 1 - 5 | * |
| Butane | 106-97-8 | 1 - 5 | * |
| Lauryl polyethylene glycol ether | 9002-92-0 | 1 - 5 | * |
| Propane | 74-98-6 | 1 - 5 | * |
| Hexadecan-1-ol | 36653-82-4 | 0.1 - 1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the chemical

Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code Irritant: Liquid

Aerosols: Level I

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Contents under pressure. Do not puncture or incinerate cans.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not puncture or

incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact

with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------------|--------------------------|---|--|
| Triethanolamine 102-71-6 | TWA: 5 mg/m ³ | - | |
| Butane 106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm TWA: 1900 mg/m ³ |
| Propane 74-98-6 | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles). None

required for consumer use.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES



Physical and Chemical Properties

Physical state Liquid spray, Aerosol

Appearance White Odor Fresh

Color No information available Odor Threshold No information available

None known

Property Values Remarks Method

None known рH Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure

No data available
No data available

Vapor density No data available None known **Specific Gravity** 0.95 None known Water Solubility Very low solubility None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|--------------------|--|----------------------|
| Stearic acid 57-11-4 | > 5000 mg/kg (Rat) | - | - |
| Triethanolamine 102-71-6 | = 4190 mg/kg (Rat) | > 20 mL/kg (Rabbit) | - |
| Butane 106-97-8 | - | - | = 658 g/m³ (Rat) 4 h |
| Propane 74-98-6 | - | - | = 658 mg/L (Rat)4 h |
| Hexadecan-1-ol 36653-82-4 | = 5 g/kg(Rat) | > 2600 mg/kg (Rabbit) > 8000 mg/kg (Rabbit) > 2000 mg/kg (Rat) | - |

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| Triethanolamine | | Group 3 | | |
| 102-71-6 | | | | |

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity No known effect based on information supplied. Carcinogenic potential is unknown.

Target Organ Effects Eyes.





Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 15,323.00 mg/kg **ATEmix (inhalation-gas)** 6,631,546.70

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------------|---|---|----------------------------|-------------------------------|
| Triethanolamine 102-71-6 | 96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus) | 96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus) | | 24h EC50: = 1386 mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|------------------------------|---------|
| Triethanolamine 102-71-6 | -2.53 |
| Butane 106-97-8 | 2.89 |
| Propane 74-98-6 | 2.3 |
| Hexadecan-1-ol 36653-82-4 | 6.65 |

Other adverse effects

No information available.



Page 8/11

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

Description UN1950, Aerosols, 2.2

Emergency Response Guide 126

Number

TDG

UN-No. UN1950 Proper Shipping Name Aerosols Hazard Class 2.2

Description UN1950, Aerosols, 2.2

<u>MEX</u>

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

Description UN1950, Aerosols, 2.2

<u>ICAO</u>

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

Description UN1950, Aerosols, 2.2

IATA

UN-No. UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2 ERG Code 2L

Description UN1950, Aerosols, non-flammable, 2.2

IMDG/IMO

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
EmS-No. F-D, S-U

Description UN1950, Aerosols, 2.2



RID

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A

Description UN1950, Aerosols, 2.2

ADR

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A
Tunnel restriction code E

Description UN1950, Aerosols, 2.2

ADN

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A

 Special Provisions
 190, 327, 344, 625

 Description
 UN1950, Aerosols, 2.2

Hazard Labels 2.2 Limited Quantity 1 L Ventilation VE04

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden release of pressure hazardYesReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------|------------|---------------|--------------|--------------|----------|
| Triethanolamine | X | X | X | | |
| 102-71-6 | | | | | |
| Butane | Χ | X | X | | |
| 106-97-8 | | | | | |
| Propane | X | X | Х | _ | |
| 74-98-6 | | | | | |

International Regulations

Mexico

National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|--------------------|-------------------|------------------------------------|
| Butane | | Mexico: TWA 800 ppm |
| 106-97-8 (1 - 5) | | Mexico: TWA 1900 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

| 16. OTHER INFORMATION | | | | | |
|-----------------------|------------------|----------------|-------------------|------------------------------------|--|
| NFPA | Health Hazards 2 | Flammability 0 | Instability 0 | Physical and Chemical Hazards - | |
| HMIS | Health Hazards 2 | Flammability 0 | Physical Hazard 0 | Personal Protection | |

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date24-Sep-2015Revision Date24-Sep-2015

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

