Issuing Date 24-Sep-2015

SAFETY DATA SHEET

Revision Date 24-Sep-2015

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Shave Gel Aerosol -Women
Other means of identification	
UN-No.	UN1950
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Shaving gel
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Ningbo Rejoice I/E Co., Ltd.
Supplier Address	Rm402, Unit 4, North Bank Fortune Centre,Jiangbei,Ningbo,315020,China Ningbo Zhejiang 315020 CN
Supplier Phone Number	Phone:0086-574-87170403 Fax:0086-574-87170180
Supplier Email	powerwell2000@hotmail.com
Emergency telephone number	
Company Emergency Phone Number	0086-13586668388


2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2A
Gases under pressure	Compressed gas

GHS Label elements, including precautionary statements



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Wear eye/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation Harmful to aquatic life with long lasting effects Toxic to aquatic life

Interactions with Other Chemicals

No information available.



3. COMPOSITION/INFORMATION ON INGREDIENTS


Chemical Name	CAS No	Weight-%	Trade Secret
Stearic acid	57-11-4	5 - 10	*
Triethanolamine	102-71-6	1 - 5	*
Butane	106-97-8	1 - 5	*
Lauryl polyethylene glycol ether	9002-92-0	1 - 5	*
Propane	74-98-6	1 - 5	*
Hexadecan-1-ol	36653-82-4	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Most important symptoms and effe	cts, both acute and delayed
Most Important Symptoms and Effects	Burning sensation.
Indication of any immediate medical attention and special treatment needed	



Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the chemical

Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code	Irritant: Liquid	
	Aerosols: Level I	

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Contents under pressure. Do not puncture or incinerate cans.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental precautions	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	



7. HANDLING AND STORAGE

Precautions for safe handling

HandlingHandle in accordance with good industrial hygiene and safety practice. Do not puncture or
incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact
with eyes.Conditions for safe storage, including any incompatibilitiesKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures	Showers	
	Eyewash stations	
	Ventilation systems	

Individual protection measures, such as personal protective equipment

Eye/face protection	If there is a risk of contact:. Wear safety glasses with side shields (or goggles). None required for consumer use.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Appearance Color	Liquid spray, Aerosol White No information available
Property	Values
pH	8
Melting / freezing point	No data available
Boiling point / boiling range	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	0.95
Water Solubility	Very low solubility
Solubility in other solvents	No data available
Partition coefficient: n-octanol/wate	
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Other Information	
Softening Point	No data available

VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available Odor Odor Threshold Remarks Method

None known None known None known None known None known

None known None known None known None known None known None known None known None known Fresh No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing. Hazardous Polymerization Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Excessive heat. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Stearic acid 57-11-4	> 5000 mg/kg (Rat)	-	-
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
Butane 106-97-8	-	-	= 658 g/m³ (Rat)4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h
Hexadecan-1-ol 36653-82-4	= 5 g/kg(Rat)	> 2600 mg/kg (Rabbit) > 8000 mg/kg (Rabbit) > 2000 mg/kg (Rat)	-

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		
102-71-6		-		

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied. Carcinogenic potential is unknown.
Target Organ Effects	Eyes.



Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 15,323.00 mg/kg ATEmix (inhalation-gas) 6,631,546.70

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethanolamine 102-71-6	96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus)	96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus)		24h EC50: = 1386 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Triethanolamine 102-71-6	-2.53
Butane 106-97-8	2.89
Propane 74-98-6	2.3
Hexadecan-1-ol 36653-82-4	6.65

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT UN-No. Proper Shipping Name Hazard Class Description Emergency Response Guide Number	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2 126
<u>TDG</u> UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
ICAO UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
IATA_ UN-No. Proper Shipping Name Hazard Class ERG Code Description	UN1950 Aerosols, non-flammable 2.2 2L UN1950, Aerosols, non-flammable, 2.2
IMDG/IMO UN-No. Proper Shipping Name Hazard Class EmS-No. Description	UN1950 Aerosols 2.2 F-D, S-U UN1950, Aerosols, 2.2



<u>RID</u> UN-No. Proper Shipping Name Hazard Class Classification code Description	UN1950 Aerosols 2.2 5A UN1950, Aerosols, 2.2
ADR UN-No. Proper Shipping Name Hazard Class Classification code Tunnel restriction code Description	UN1950 Aerosols 2.2 5A E UN1950, Aerosols, 2.2
ADN UN-No. Proper Shipping Name Hazard Class Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1950 Aerosols 2.2 5A 190, 327, 344, 625 UN1950, Aerosols, 2.2 2.2 1 L VE04

15. REGULATORY INFORMATION

International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA	311/312	Hazard	Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Triethanolamine 102-71-6	Х	Х	Х		
Butane 106-97-8	Х	Х	Х		
Propane 74-98-6	Х	Х	Х		

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Butane		Mexico: TWA 800 ppm
106-97-8(1-5)		Mexico: TWA 1900 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA HMIS	Health Hazards 2 Health Hazards 2	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards Personal Protection X
Prepared By Issuing Date Revision Date Revision Note	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 24-Sep-2015 24-Sep-2015 No information available			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

