# SAFETY DATA SHEET

Issuing Date 18-Sep-2015 Revision Date 18-Sep-2015 Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Fume Free Oven Cleaner

Other means of identification

**UN-No.** UN1950

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Oven Cleaner - Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Name** Ningbo Rejoice I/E Co., Ltd.

Supplier Address Rm402, Unit 4, North Bank Fortune Centre, Jiangbei, Ningbo, 315020, China

Ningbo Zhejiang 315020 CN

Supplier Phone Number Phone:0086-574-87170403

Fax:0086-574-87170180

Supplier Email powerwell2000@hotmail.com

Emergency telephone number

**Company Emergency Phone** 

Number

0086-13586668388

# 2. HAZARDS IDENTIFICATION

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1



Gases under pressure Compressed gas

# GHS Label elements, including precautionary statements

Danger

**Emergency Overview** 

Signal word

\_......

# **Hazard Statements**

Causes skin irritation

Causes serious eye damage

Contains gas under pressure; may explode if heated



**Appearance** Clear

Physical state Liquid spray Aerosol

Odor Fresh

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

# **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

# **Precautionary Statements - Disposal**

None

# Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

2 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Harmful to aquatic life



#### **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Triethanolamine	102-71-6	1 - 5	*
Butane	106-97-8	1 - 5	*
Ethanolamine	141-43-5	1 - 5	*
Propane	74-98-6	1 - 5	*
Sodium metasilicate pentahydrate	10213-79-3	1 - 5	*
2-Butoxyethanol	111-76-2	1 - 5	*
Lauryl polyethylene glycol ether	9002-92-0	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue

rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

**Effects** 

Burning sensation.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

# Specific hazards arising from the chemical

Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code Irritant: Liquid

Aerosols: Level III

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge No.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Contents under pressure. Do not puncture or incinerate

cans.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

# Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Do not puncture or

incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact

with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Protect from sunlight.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m <sup>3</sup>	-	
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** None required for consumer use. If there is a risk of contact:. Tight sealing safety goggles.



Skin and body protection None required for consumer use. If there is a risk of contact:. Wear protective gloves and

protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

None known

smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Liquid spray, Aerosol Physical state

**Appearance** Clear Odor Fresh

No information available **Odor Threshold** No information available Color

Property Values Remarks Method

pН 11 None known None known No data available Melting / freezing point No data available None known Boiling point / boiling range Flash Point No data available None known **Evaporation Rate** No data available None known No data available Flammability (solid, gas) None known

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available Vapor density No data available

**Specific Gravity** 0.95

Water Solubility Soluble (> .?%) Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidizing properties** No data available

Other Information

**Softening Point** No data available **VOC Content (%)** No data available No data available **Particle Size** 

**Particle Size Distribution** 

Page 6/13

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

# **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

# **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. (based on components).

Causes serious eye damage. Severely irritating to eyes. May cause irreversible damage to

eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components). Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	<del>-</del>
Butane 106-97-8	-	-	= 658 g/m³ (Rat) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg ( Rabbit )	-
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
Sodium metasilicate pentahydrate 10213-79-3	= 600 mg/kg ( Rat )	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h

# Information on toxicological effects



Page 7/13

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. May cause

blindness. Burning.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6		Group 3		
2-Butoxyethanol 111-76-2	A3	Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known effect based on information supplied. Carcinogenic potential is unknown.

Target Organ Effects Respiratory system. Eyes. Skin.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
17,627.00 mg/kg
ATEmix (dermal)
34,681.00 mg/kg (ATE)
ATEmix (inhalation-dust/mist)
50.00 mg/l
ATEmix (inhalation-vapor)
367.00 ATEmix



# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Harmful to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethanolamine	96h EC50: = 169 mg/L	96h LC50: 10600 - 13000		24h EC50: = 1386 mg/L
102-71-6		mg/L (Pimephales promelas)		
	subspicatus) 72h EC50: =	96h LC50: > 1000 mg/L		
	216 mg/L (Desmodesmus	(Pimephales promelas) 96h		
	subspicatus)	LC50: 450 - 1000 mg/L (Lepomis macrochirus)		
Eth a rala min a	70h F050: 45//	\	F050 440 m m/L 47 h	40h F050: 05 mm/l
Ethanolamine 141-43-5	72h EC50: = 15 mg/L (Desmodesmus	96h LC50: = 3684 mg/L	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h	48h EC50: = 65 mg/L
141-43-5	subspicatus)	(Brachydanio rerio) 96h LC50: 300 - 1000 mg/L	EC50 = 12200 flig/L 2 fl EC50 = 13.7 mg/L 30 min	
	subspicatus)	(Lepomis macrochirus) 96h	LC30 = 13.7 Hig/L 30 Hill	
		LC50: 114 - 196 mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: > 200 mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = 227 mg/L		
		(Pimephales promelas)		
2-Butoxyethanol		96h LC50: = 1490 mg/L		48h EC50: > 1000 mg/L 24h
111-76-2		(Lepomis macrochirus) 96h		EC50: 1698 - 1940 mg/L
		LC50: = 2950 mg/L		
		(Lepomis macrochirus)		

# <u>Persistence and Degradability</u> No information available.

# **Bioaccumulation**

Chemical Name	Log Pow
Triethanolamine 102-71-6	-2.53
Butane 106-97-8	2.89
Ethanolamine 141-43-5	-1.91
Propane 74-98-6	2.3
2-Butoxyethanol 111-76-2	0.81

Other adverse effects
No information available.



Page 9/13

\_\_\_\_

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

# 14. TRANSPORT INFORMATION

DOT

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

**Description** UN1950, Aerosols, 2.2

Emergency Response Guide 126

Number

TDG

UN-No. UN1950 Proper Shipping Name Aerosols Hazard Class 2.2

**Description** UN1950, Aerosols, 2.2

MEX

UN-No. UN1950 Proper Shipping Name Aerosols

Hazard Class 2

**Description** UN1950, Aerosols, 2

<u>ICAO</u>

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

**Description** UN1950, Aerosols, 2.2

IATA

**UN-No.** UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2

**Description** UN1950, Aerosols, non-flammable, 2.2

IMDG/IMO

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2
EmS-No. F-D, S-U

**Description** UN1950, Aerosols, 2



#### RID

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A

**Description** UN1950, Aerosols, 2.2

#### ADR

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A
Tunnel restriction code (E)

**Description** UN1950, Aerosols, 2.2

#### ADN

UN-No. UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Classification code 5A

 Special Provisions
 190, 327, 344, 625

 Description
 UN1950, Aerosols, 2.2

Hazard Labels 2.2 Limited Quantity 1 L Ventilation VE04

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1 - 5	1.0

# SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

No
Sudden release of pressure hazard

Reactive Hazard

No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level



pertaining to releases of this material

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# **U.S. State Right-to-Know Regulations**

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Triethanolamine 102-71-6	X	X	X		
Butane 106-97-8	Х	Х	Х		
Ethanolamine 141-43-5	X	Х	Х		Х
Propane 74-98-6	Х	Х	Х		
2-Butoxyethanol 111-76-2	Х	Х	Х	Х	Х

# **International Regulations**

# Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Butane		Mexico: TWA 800 ppm
106-97-8 ( 1 - 5 )		Mexico: TWA 1900 mg/m <sup>3</sup>
Ethanolamine		Mexico: TWA 3 ppm
141-43-5 ( 1 - 5 )		Mexico: TWA 8 mg/m <sup>3</sup>
		Mexico: STEL 6 ppm
		Mexico: STEL 15 mg/m <sup>3</sup>
2-Butoxyethanol		Mexico: TWA 26 ppm
111-76-2 ( 1 - 5 )		Mexico: TWA 120 mg/m <sup>3</sup>
		Mexico: STEL 75 ppm
		Mexico: STEL 360 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# Canada

# **WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION					
NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazards 2	Flammability 0	Physical Hazard 0	Personal Protection	
Prepared By	Prepared By Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Issuing Date	18-Sep-2	2015			
Revision Date	18-Sep-2015				
Revision Note	No inforr	nation available			
Disclaimer					



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 





Page 13/13