# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 27-Sep-2017

**Revision Number** 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name All Purpose Cleaner

Other means of identification

Product Code(s) 1419436

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** Ningbo Rejoice I/E Co., Ltd.

Address Rm402, Unit 4, North Bank Fortune Centre, Jiangbei, Ningbo, 315020, China

Ningbo Zhejiang 315020 CN

**Telephone** Phone:0086-574-87170403

Fax:0086-574-87170180

E-mail powerwell2000@hotmail.com

Emergency telephone number

**Company Emergency Phone** 

0086-13586668388

Number

## 2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation Category 2A



Appearance Clear Physical state Liquid Odor Fragranced

GHS Label elements, including precautionary statements

### Warning

#### **Hazard statements**

Causes serious eye irritation



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection

**Precautionary Statements - Response** 

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Other information

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Isopropyl alcohol	67-63-0	15	-	-
Benzalkonium chloride	8001-54-5	0.2	-	-

4. F	IRST	MEA	SU	RES

First aid measures



**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** Wash skin with soap and water.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.



## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical name		ACGIH TLV		03	OSHA PEL		NIOSH IDLH	
Isopropyl alcohol		STEL: 400 ppm		TWA: 400 ppm		IDLH: 2000 ppm 10% LE		10% LEL
67-63-0			ppm	TWA	: 980 mg/m³	980 mg/m <sup>3</sup> T\		g/m³
				(vacated)	TWA: 400 ppm	TWA: 400 ppm		pm
				(vacated) TWA: 980 mg/m <sup>3</sup>		STEL: 500 ppm		opm
				(vacated) STEL: 500 ppm			STEL: 1225 mg/m <sup>3</sup>	
				(vacated) S	TEL: 1225 mg/m <sup>3</sup>			
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quel	bec
Isopropyl alcohol	Т	TWA: 200 ppm TWA: 2		00 ppm	TWA: 200 ppm		TWA: 40	00 ppm
67-63-0	T۱	VA: 492 mg/m <sup>3</sup>	STEL: 400 ppm		STEL: 400 ppr	n	TWA: 98	5 mg/m <sup>3</sup>
	s	TEL: 400 ppm					STEL: 50	00 ppm
	SI	EL: 984 mg/m <sup>3</sup>					STEL: 123	30 mg/m <sup>3</sup>

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection**Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical state Liquid
Appearance Clear
Odor Fragranced

**Color** No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH

No data available None known Melting / freezing point No data available Boiling point / boiling range None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) None known No data available Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit

Vapor pressure

No data available

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.02

Water Solubility Soluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNot applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

No information available **Explosive properties Oxidizing properties** No information available **Softening Point** No information available No information available **Molecular Weight VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available Particle Size Distribution No information available

## 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.



## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

### Information on toxicological effects

**Symptoms** May cause redness and tearing of the eyes.

Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 12,467.00 mg/kg
ATEmix (dermal) 27,060.00 mg/kg
ATEmix (inhalation-dust/mist) 484.00 mg/L

**Unknown acute toxicity** 15 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Benzalkonium chloride	= 240 mg/kg ( Rat )	= 1420 mg/kg ( Rat )	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH IARC		NTP	OSHA	
Isopropyl alcohol -		Group 3	-	X	



67-63-0

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl alcohol	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 µg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)	-	48h EC50: = 13299 mg/L
Benzalkonium chloride	-		EC50 = 0.6 mg/L 15 min	-

Persistence and Degradability

No information available.

**Bioaccumulation** 

Chemical name	Log Pow
Isopropyl alcohol	0.05

MobilityNo information available.Other adverse effectsNo information available.

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.



This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

## 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

Proper Shipping Name NON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List



EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	15	1.0
Acute Health Hazard	Yes		

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Isopropyl alcohol 67-63-0	X	X	Х	Х	

67-63-0				
16.	OTHER INF	ORMATION	I	

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical Properties HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship 23 British American B

23 British American Blvd. Latham, NY 12110 1-800-572-6501



Revision Date 27-Sep-2017

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

