#### Issuing Date 22-Sep-2015

# SAFETY DATA SHEET

Revision Date 22-Sep-2015

**Revision Number** 4



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Dust And Glow - Lavender & Vinilla
Other means of identification	
UN-No.	UN1950
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Dusting Aid - Aerosol
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Ningbo Rejoice I/E Co., Ltd.
Supplier Address	Rm402, Unit 4, North Bank Fortune Centre,Jiangbei,Ningbo,315020,China Ningbo Zhejiang 315020 CN
Supplier Phone Number	Phone:0086-574-87170403 Fax:0086-574-87170180
Supplier Email	powerwell2000@hotmail.com
Emergency telephone number	
Company Emergency Phone Number	0086-13586668388

### 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 2
Gases under pressure	Compressed gas



#### **GHS Label elements, including precautionary statements**

	Emergency Overview	
Signal word	Warning	
Hazard Statements		
Suspected of causing cance	r	
Contains gas under pressure	e; may explode if heated	
Appearance White	Physical state Liquid spray Aerosol	Odor Fresh
D	Decouverties	

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up Protect from sunlight. Store in a well-ventilated place

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity 8 % of the mixture consists of ingredient(s) of unknown toxicity

**Other information** 

May cause slight eye irritation

#### Interactions with Other Chemicals

No information available.



### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
White mineral oil (petroleum)	8042-47-5	5 - 10	*
N-Butane	106-97-8	3 - 7	*
Propane	74-98-6	1 - 5	*
Sodium nitrite	7632-00-0	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effect	cts, both acute and delayed
Most Important Symptoms and	No information available.

Effects No information available

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.



### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

#### Specific hazards arising from the chemical

Cylinders may rupture under extreme heat. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code Aerosols: Level I

<u>Hazardous Combustion Products</u> Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Contents under pressure. Do not puncture or incinerate cans.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.



### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not puncture or incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact with eyes.	
Conditions for safe storage, includ	nditions for safe storage, including any incompatibilities	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.	
Incompatible Products	None known based on information supplied.	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
White mineral oil (petroleum)	TWA: 5 mg/m <sup>3</sup> inhalable fraction		IDLH: 2500 mg/m <sup>3</sup>
8042-47-5	excluding metal working fluids,	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
	highly & severely refined		STEL: 10 mg/m <sup>3</sup>
N-Butane	TWA: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
			TWA: 1800 ma/m <sup>3</sup>


ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

#### Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
9	PHYSICAL AND CHEMICAL PROPERTIES



#### **Physical and Chemical Properties**

Physical state Appearance Color	Liquid spray, Aerosol White No information available	Odor Odor Threshold	Fresh No information available
Property	Values_	Remarks Method	
pH	8	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	0.95	None known	
Water Solubility	Very low solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wa	aterNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		
Other Information			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

**Particle Size Distribution** 

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid Excessive heat. Incompatible materials None known based on information supplied. Hazardous Decomposition Products Carbon oxides.

### **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure



#### Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil (petroleum) 8042-47-5	> 5000 mg/kg (Rat)	-	-
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h
Sodium nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat)4 h

#### Information on toxicological effects

#### Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

No information available.

**Mutagenic Effects** 

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Sodium nitrite Group 2A X 7632-00-0	Chemical Name	ACGIH	IARC	NTP	OSHA
7632-00-0	Sodium nitrite		Group 2A		Х
	7632-00-0				

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

- **STOT single exposure** No information available.
- STOT repeated exposure No information available.
  - Chronic Toxicity Contains a known or suspected carcinogen.
  - Target Organ EffectsNone known.
- Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document



### ATEmix (oral) 56,667.00 mg/kg ATEmix (inhalation-gas) 3,510,818.80

### **12. ECOLOGICAL INFORMATION**

<u>Ecotoxicity</u> The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
White mineral oil (petroleum) 8042-47-5		96h LC50: > 10000 mg/L (Lepomis macrochirus)		
Sodium nitrite 7632-00-0		96h LC50: 0.092 - 0.13 mg/L (Oncorhynchus mykiss) 96h LC50: 0.4 - 0.6 mg/L (Oncorhynchus mykiss) 96h LC50: 0.65 - 1 mg/L (Oncorhynchus mykiss) 96h LC50: = 2.3 mg/L (Pimephales promelas) 96h LC50: = 20 mg/L (Pimephales promelas) 96h LC50: = 0.19 mg/L (Oncorhynchus mykiss)		

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
White mineral oil (petroleum) 8042-47-5	6
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3
Sodium nitrite 7632-00-0	-3.7

#### Other adverse effects

No information available.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Sodium nitrite	Toxic
7632-00-0	Ignitable
	Reactive

### 14. TRANSPORT INFORMATION

#### DOT

UN-No. Proper Shipping Name Hazard Class Description Emergency Response Guide Number	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2 126
TDG UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
MEX_ UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
ICAO UN-No. Proper Shipping Name Hazard Class Description	UN1950 Aerosols 2.2 UN1950, Aerosols, 2.2
IATA UN-No. Proper Shipping Name Hazard Class ERG Code Description	UN1950 Aerosols, non-flammable 2.2 2L UN1950, Aerosols, non-flammable, 2.2



IMDG/IMO UN-No. Proper Shipping Name Hazard Class EmS-No. Description	UN1950 Aerosols 2.2 F-D, S-U UN1950, Aerosols, 2.2
RID UN-No. Proper Shipping Name Hazard Class Classification code Description	UN1950 Aerosols 2.2 5A UN1950, Aerosols, 2.2
ADR UN-No. Proper Shipping Name Hazard Class Classification code Tunnel restriction code Description	UN1950 Aerosols 2.2 5A E UN1950, Aerosols, 2.2
ADN UN-No. Proper Shipping Name Hazard Class Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1950 Aerosols 2.2 5A 190, 327, 344, 625 UN1950, Aerosols, 2.2 2.2 1 L VE04

### **15. REGULATORY INFORMATION**

#### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sodium nitrite - 7632-00-0	7632-00-0	0.1 - 1	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden release of pressure hazard	Yes		
Reactive Hazard	No		

#### CWA (Clean Water Act)



This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium nitrite 7632-00-0	100 lb			Х

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium nitrite 7632-00-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
N-Butane 106-97-8	Х	Х	Х		
Dimethicone 63148-62-9	Х				
Propane 74-98-6	Х	Х	Х		

#### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
White mineral oil (petroleum)		Mexico: TWA 5 mg/m <sup>3</sup>
8042-47-5(5 - 10)		Mexico: STEL 10 mg/m <sup>3</sup>
N-Butane		Mexico: TWA 800 ppm
106-97-8(3 - 7)		Mexico: TWA 1900 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### WHMIS Hazard Class Not determined

### **16. OTHER INFORMATION**

NFPA HMIS	Health Hazards 1 Health Hazards 1 *	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection X
Chronic Hazard Star Legend * = Chronic Health Hazard				
Prepared By Issuing Date	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 22-Sep-2015			



#### Revision Date Revision Note

22-Sep-2015 No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

