## SAFETY DATA SHEET

Issuing Date No data available Revision Date 02-Feb-2015 Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name HC OLIVE OIL COOKING SPRAY 3.50Z

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Cooking Oil Spray - Aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Ningbo Rejoice I/E Co., Ltd.

Supplier Address Rm402, Unit 4, North Bank Fortune Centre, Jiangbei, Ningbo, 315020, China

Ningbo Zhejiang 315020 CN

**Supplier Phone Number** Phone:0086-13586668388

Fax:0086-574-87170180

Contact Phone0086-13586668388 powerwell2000@hotmail.com

Emergency telephone number

## 2. HAZARDS IDENTIFICATION

#### Classification

**Supplier Email** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Gases under pressure Compressed gas

GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word Warning



Contains gas under pressure; may explode if heated



Appearance Light yellow

Physical State Liquid spray Aerosol

Odor Oily

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

#### **Precautionary Statements - Response**

None

#### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

## **Precautionary Statements - Disposal**

None

## **Hazards not otherwise classified (HNOC)**

Not applicable

#### **Unknown Toxicity**

21.487% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

May cause slight eye irritation

#### **Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

| Chemical Name | CAS No  | Weight-% | Trade Secret |
|---------------|---------|----------|--------------|
| Isobutane     | 75-28-5 | 7 - 13   | *            |
| Propane       | 74-98-6 | 3 - 7    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

**Eye Contact** 

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.



\_\_\_\_\_

**Skin Contact** Wash with soap and water.

**Inhalation** Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

**Effects** 

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

#### **Specific Hazards Arising from the Chemical**

Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code Aerosols: Level I

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Avoid contact with eyes. Contents under pressure. Do not puncture or incinerate cans.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not puncture or

incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact

with eyes.

Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Incompatible Products None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

| Chemical Name        | ACGIH TLV      | OSHA PEL                         | NIOSH IDLH   |
|----------------------|----------------|----------------------------------|--|
| Isobutane<br>75-28-5 | STEL: 1000 ppm | N/A                              | N/A  |
| Propane<br>74-98-6   | TWA: 1000 ppm  | TWA: 1000 ppm<br>TWA: 1800 mg/m³ | IDLH: 2100 ppm<br>TWA: 1000 ppm<br>TWA: 1800 mg/m³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992)

#### **Appropriate engineering controls**



Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No special protective equipment required.

**Skin and Body Protection** No special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical StateLiquid spray, AerosolAppearanceLight yellowOdorOily

Color No information available Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

pН None known Melting / freezing point No data available None known No data available None known Boiling point / boiling range **Flash Point** No data available None known No data available **Evaporation Rate** None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Very low solubility Water Solubility None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** Kinematic viscosity No data available None known None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing PropertiesNo data available

#### **Other Information**

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

**Particle Size Distribution** 

(U)

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye Contact** Specific test data for the substance or mixture is not available.

**Skin Contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

#### **Component Information**

| Chemical Name        | Oral LD50 | Dermal LD50 | Inhalation LC50      |
|----------------------|-----------|-------------|----------------------|
| Isobutane<br>75-28-5 | -         | -           | = 658 mg/L (Rat) 4 h |
| Propane<br>74-98-6   | -         | -           | = 658 mg/L (Rat) 4 h |

#### Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.



**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects Central Nervous System (CNS). Heart.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

ATEmix (inhalation-gas)

1,280,317.90

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

| Chemical Name        | Log Pow |
|----------------------|---------|
| Isobutane<br>75-28-5 | 2.88    |
| Propane<br>74-98-6   | 2.3     |

## Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

## 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

**Description** CONSUMER COMMODITY, ORM-D

**Emergency Response Guide** 126

Number

<u>TDG</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2

**Description** UN1950, AEROSOLS, 2.2

<u>MEX</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.2

**Description** UN1950, AEROSOLS, 2.2

<u>ICAO</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.2

**Description** UN1950, AEROSOLS, 2.2

<u>IATA</u>

**UN-No.** UN1950

Proper Shipping Name AEROSOLS, NON-FLAMMABLE

Hazard Class 2.2

**Description** UN1950, AEROSOLS, NON-FLAMMABLE, 2.2

IMDG/IMO

UN-No. UN1950
Proper Shipping Name AEROSOLS

**Hazard Class** 2.2 **EmS-No.** F-D, S-U

**Description** UN1950, AEROSOLS, 2.2

RID

**UN-No.** UN1950

Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

**Description** UN1950, AEROSOLS, 2.2

<u>ADR</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A Tunnel restriction code (E)

**Description** UN1950, AEROSOLS, 2.2

<u>ADN</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

**Special Provisions** 190, 327, 344, 625 **Description** UN1950, AEROSOLS, 2.2

Limited Quantity 1 L Ventilation VE04

## 15. REGULATORY INFORMATION

#### International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

IECSC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard Yes
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**



\_\_\_\_\_

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

.

| Chemical Name        | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------|------------|---------------|--------------|--------------|----------|
| Isobutane<br>75-28-5 | X          | X             | Χ            |              |          |
| Propane<br>74-98-6   | X          | X             | Х            |              |          |

## **International Regulations**

#### Canada WHMIS Hazard Class A - Compressed gases



| TO THE THE STATE OF THE STATE O |                  |                |                   |                                    |  |
|--|------------------|----------------|-------------------|------------------------------------|--|
| NFPA   | Health Hazards 1 | Flammability 1 | Instability 0     | Physical and<br>Chemical Hazards - |  |
| LIMIC  | Health Hamarda O | Elemmebility 0 | Dhysical Harard O | Devenuel Protection                |  |

16. OTHER INFORMATION

HMIS Health Hazards 2 Flammability 0 Physical Hazard 0 Personal Protection

Х

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

**Revision Date** 02-Feb-2015

Revision Note No information available

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**